


LUMINARY SPECS

ТҮРЕ	Table lamp
COLOR	White
MATERIAL	Ceramic
DIMENSIONS	L22 W15,5 H23,5 cm
SWITCH	Handswitch
DIMMABLE	Νο
CABLE LENGHT	1,5 m
BULB TYPE	E14
LIGHTBULB INLCUDED	Νο
MAXIMUM VOLTAGE	240 Volt
MAXIMUM WATTAGE	5W
CLASS	11

SAFETY DIRECTIONS Please study the instruction manual and below information carefully before installing or using this product and keep this user manual for further reference. 1. The luminaires may only be installed by authorized and qualified technicians according the valid regulations for electrical installation. 2. Maintenance of the luminaires is limited to their surfaces. During maintenance no moisture can come into contact with any areas of the terminal connections or voltage control parts. 3. The electrical supply must be switched off at the outset, preferably by means of a switch in the distribution box, before any installation, maintenance or repair work is undertaken. 4. Exterior light must not be installed during rain. 5. Take account of the minimal separation distance from other objects and the room required around the fitting. 6. If in any doubt, consult a professional, taking local installation requirements into account. Some countries stipulate that lighting may be installed only by registered installers. 7. Clamping screws in electrical connections must be adequately tightened. This is particularly the case with 12V low voltage conductors. 8. When replacing a halogen lamp, wait for it to cool, for a minimum of 5 minutes. 9. Clean with a clean, dry cloth or brush, use no solvents or abrasives. Avoid dampness on all electrical components. 10. Take account of all available technical information. 11. Take note of the symbols when connecting wires: N = Neutral L = Live 🔔 = Earth

 If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.



SYMBOLS FOR THIS PRODUCT:



SERAX

VELDKANT 21, 2550 KONTICH, BELGIUM SERAX.COM +32 3458 05 82